EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("2003098495").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/18 15:14
S2	1	("20030098495").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/18 15:14
S3	1226	((read or write) near protect) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/07/01 10:21
S4	113	S3 same (EEPROM or nonvolatile or (one adj time adj program$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/07/01 10:22
S5	16	("20020002654" | "20030126513" | "20040059883" | "20040177216" | "20050068842" | "20060133155" | "5592641" | "5749088" | "5812446" | "5991197" | "6031757" | "6490197" | "6600676" | "7093091" | "7210012" | "7243199").PN. OR ("7376010").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:33
S6	10	("5363334" | "5590086" | "5631871").PN. OR ("6600676").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:36
S7	14	("20020057598" | "4441170" | "4641241" | "4841133" | "4870260" | "4907273" | "5345413" | "5446864" | "5504701" | "5544111" | "6446177" | "6600676").PN. OR ("6814297").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:39
S8	2	("6814297" | "7154297").PN. OR ("7336095").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:40
S9	35	("5097445" | "5197034" | "5349558" | "5414664" | "5526307" | "5530673" | "5619451").PN. OR ("6031757").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:52
S10	4	("5594686" | "6031757" | "6643751" | "7143255").PN. OR ("7272694").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:55

S11	8	("4388695" | "5027317" | "5721872" | "5754821" | "6101586").PN. OR ("6643751").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 10:56
S12	6	((lock or unlock or protect) near memory) same ((execute or perform) near write)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:18
S13	0	((lock or unlock or protect) near memory) same (register near5 ((write adj once) or (one adj time adj program $5)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:19
S14	4	((lock or unlock or protect) near4 memory) same (register near5 ((write adj once) or (one adj time adj program $5)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:20
S15	78	((lock or unlock or protect) near4 memory) same ((preset or predetermine$) near5 (bit or byte or address))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:21
S16	26	("3827029" | "4093986").PN. OR ("4388695").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:28
S17	362	((lock or unlock or protect) near4 memory) same ((location or number or pattern) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:33
S18	217	(EPROM or (write adj once) or (ont adj time adj program$4)) with ((lock or unlock or protect or access) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:36
S19	218	(EPROM or (write adj once) or (one adj time adj program $4)) with ((lock or unlock or protect or access) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:36
S20	30	("4734568" | "4777355" | "4810862" | "4910393" | "4988855" | "5159183").PN. OR ("5471045").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/01 11:49

| S21 | 100 | ("5706476" "5796931" "5442464" "4786829" "4851784" "5253214" "5819018" "4766568" "5347524" "5396107" "5491660" "5651137" "5694579" "5719880" "5822767" "6112016" "4345319" "4404680" "4556882" "4809224" "4856001" "4896297" "4941128" "5199033" "5218569" "5241266" "5256963" "5311470" "5394362" "5428571" "5428621" "5434972" "5457400" "5483175" "5522058" "5545580" "5555527" "5603000" "5652607" "5659550" "5684737" "5693551" "5710906" "5740236" "5773997" "5778418" "5787498" "5805524" "5813036" "5825992" "5859460" "5860114" "5862074" "5887145" "5946245" "6002614" "6011716" "6014327" "6016530" "6035428" "6098093" "6118692" "6141384" "6195288" "6195754" "6199147" "6200861" "6246613" "4316265" "4356547" "4357658" "4390969" "4445173" "4454524" "4460985" "4487101" "4498022" "4546453" "4545314" "4590565" "4594563" "4755998" "4757978" "4780786" "4792910" "4825408" "4833649" "4837679" "4845533" "4851985" "4858194" "4879693" "4883990" "4888498" "4901066" "4917470" "4943926" "4945261" "4958360" "4982113").pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/07/01 11:53 |
| S22 | 1367 | ((read or write) near protect) with memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2009/07/15 14:25 |

S23	127	S22 same (EEPROM or nonvolatile or (one adj time adj program$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:25
S24	13	((lock or unlock or protect) near memory) same ((execute or perform) near write)	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S25	0	((lock or unlock or protect) near memory) same (register near5 ((write adj once) or (one adj time adj program $5)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S26	4	((lock or unlock or protect) near4 memory) same (register near5 ((write adj once) or (one adj time adj program $5)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S27	81	((lock or unlock or protect) near4 memory) same ((preset or predetermine$) near5 (bit or byte or address))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S28	394	((lock or unlock or protect) near4 memory) same ((location or number or pattern) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S29	229	(EPROM or (write adj once) or (ont adj time adj program$4)) with ((lock or unlock or protect or access) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S30	232	(EPROM or (write adj once) or (one adj time adj program $4)) with ((lock or unlock or protect or access) near5 (bit or byte))	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/15 14:25
S31	72	(S23 S24 S25 S26 S27 S28 S29 S30) and @pd>"20080701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:25
S32	1030	(flash or nonvolatile) with erase with page	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:29
S33	17	(flash or nonvolatile) with lazy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:29
S34	267	(page with metadata) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:29

S35	6	(erase near5 flash near5 block) with idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:29
S36	152	(erase near5 flash near5 block) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S37	19	(erase near5 flash near5 block) with timing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S38	4	(erase near5 flash near5 block) with inactiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S39	0	(erase near5 flash near5 block) same ("no access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S40	0	(erase near5 flash near5 block) same ("not access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S41	0	(erase near5 flash near5 block) same ("not accessing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:30
S42	0	(erase near5 flash near5 block) same ("no I/O")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:31
S43	26	(erase near5 flash near5 block) same ("I/O")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:31
S44	78	(erase near5 block) same idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:31
S45	86	(erase with flash) same idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:31
S46	203	flash with (garbage near5 collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:32
S47	144	(garbage near5 collection) with (idle or inactiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:32

S48	610	(S32 S33 S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47) and @pd>"20071210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:34
S49	82	S48 and (@pd<"20031031" or @ad<"20031031" or @rlad<"20031031" or @prad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:52
S50	160	S48 and (@pd<"20041027" or @ad<"20041027" or @rlad<"20041027" or @prad<"20041027")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/15 14:52
S51	12	(koninklijke adj2 philps adj2 electronics).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 07:57
S52	12	(koninklijke adj2 philps).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 07:58
S53	14395	(koninklijke adj2 philips).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 07:59
S54	282	S53 and (secur$3 near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 07:59
S55	0	S53 and ((secur$3 near5 data) with quiet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:03
S56	52	S53 and ((secur$3 near5 data) with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:03
S57	16	S53 and ((toggle or switch) with (memory near4 access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:13
S58	1	S53 and ((toggle or switch) with (memory near4 (quiet or active)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:16
S59	886	((toggle or switch) with (memory near4 (quiet or active)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:16
S60	2	S59 same ((prevent or secure or limit) near5 (access or read or write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:17

S61	54	S59 same ((prevent or secure or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:18
S62	360	(711/102).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/16 08:25
S63	844	(710/200).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/16 08:26
S64	31	(S62 or S63) and (smartcard or (smart adj2 card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/16 08:41

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	978	(((program or write) near5 memory) with (quiet or active)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:34
L3	0	(((program or write) near5 memory) with (quiet or active) with irreversible).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:34
L4	17	(((program or write) near5 memory) with (quiet or active) with (one near4 time)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:34
L5	3891	((change or alter to toggle or switch or active or quiet) with (memory near4 (state or status))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:37
L6	934	((change or alter to toggle or switch or active or quiet) with (memory near4 (state or status)) with (secure or access or read or write)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:38
L7	934	((change or alter or toggle or switch or active or quiet) with (memory near4 (state or status)) with (secure or access or read or write)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:38
L8	3169	((change or alter or toggle or switch or active or quiet) near10 (memory near4 (state or status))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:38

L9	2615	((change or alter or toggle or switch or active or quiet) near5 (memory near4 (state or status))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:39
L10	2017	((change or alter or toggle or switch) near5 (memory near4 (state or status))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:39
L11	1	((change or alter or toggle or switch) near5 (memory near4 quiet)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 12:39
S65	72	((secure or protect) near5 (memory or data) with (active or quiet)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/07/16 08:47

7/16/2009 12:40:15 PM
C:\ Documents and Settings\ edudek\ My Documents\ EAST\ Workspaces\ 10577519-rebuilt.wsp